

# Child Health Information

Most children have experienced many stressors which may cause subluxations (restricted joints). This case history will uncover some of the stressors your child could have been exposed to. 47% of all children have a fall on their head by the age of one and they have at least 200 major falls by the age of five.



Name	<input type="text"/>	Date of Birth	<input type="text"/>
Address	<input type="text"/>		
Phone (Home)	<input type="text"/>	Mobile	<input type="text"/>
Email	<input type="text"/>		
Name of Mother	<input type="text"/>	Name of Father	<input type="text"/>
Who recommended us?	<input type="text"/>		
Childhood History	<input type="text"/>		
	<input type="text"/>		

List Major Complaints	Date of Current Onset	If ongoing condition when was original event	* See legend below to complete box			
			Character	Intensity	Frequency	Activity
1.						
How did this condition start?						
2.						
How did this condition start?						
3.						
How did this condition start?						

Circle area(s) of concern	* Legend
	<p><b>Character</b>            (C) Cramping            (D) Dull Ache            (S) Sharp /Stabbing Pain            (B) Burning            (N) Numb/Tingling            (T) Throbbing            (O) Other</p> <p><b>Intensity</b>            Rate from 0 (no pain) to 10 (worst pain imaginable)</p> <p><b>Frequency</b>            Rate from 0 (none of the time) to 10 (all of the time)</p> <p><b>Activity</b>            Rate how activities have been affected from 0 (no limitations) to 10 (severely limited)</p>